

REGISTRY RECORD CONFIRMATION

STADIP® Laminated Glass

REVIEW STATUS

REVIEWED

Check current status in the live registry

WHAT THIS DOCUMENT CONFIRMS

VeriCtory confirms that this record is listed with Reviewed review status on 03 Sep 2026, based on the public evidence identified in this registry page. The live record remains the authoritative status source.

VERICTORY RECORD

VC-PRD-C2C-102

REGISTRY DOMAIN

Products & materials

RECORD CATEGORY

Building Supply & Materials

REFERENCE YEAR

Valid to 2026-12-20

PUBLISHED RECOGNITION

Cradle to Cradle Certified®

PUBLISHED LEVEL

Bronze · v5.0

EVIDENCE PUBLISHER

Cradle to Cradle Certified Products Registry

METHODOLOGY

Registry v0.5

VERIFY THE LIVE RECORD

Scan to check current status, source links,
review history and any corrections.

VERIFICATION CODE

VC-PRD-C2C-102 / 01



verictory.org/records

REGISTRY CONFIRMATION - NOT A SUSTAINABILITY CERTIFICATE

This document confirms registry status only. It is not a certification, award, performance guarantee or endorsement. It does not replace the original evidence publisher's decision. Current status must be checked through the QR code.